

**THIS
IS
LEMP**



LEMP

LEMP

CONTENT

WE ARE DIFFERENT. WE ARE LEMP.

What makes us different? We'd be happy to tell you! You can learn more about us on page:

04



QUALITY: THAT'S OUR TOP PRIORITY!

High-quality and uncompromising: Learn more about our exceptional quality standards on page:

06



nfk: OUR QUALITY SEAL

Read all about our quality – which complies with standards and technical regulations – as well as our trend-setting nfk pipe clamps and gutter brackets, starting on page:

07



EVERYTHING UNDER ONE ROOF

Our roof windows and roof exits meet your every need. More on page:

10



STRONG IN ACTION

Divert upwards and keep free: You can find our rainwater collectors and foliage traps on page:

12



MULTI-SAT AND ACCESSORIES

Full on reception: Discover our Multi-SAT solutions and practical accessories such as roof batten extensions, thermal anchors and cable bushings on page:

14



WE ARE DIFFERENT. WE ARE LEMP.

We are there for you, heart and soul –
and all that in the seventh generation already!

From pipe clamps and gutter brackets to roof exits:
When it comes to roofs, Lemp is the reference brand
for high-quality products 'made in Germany' – and has
been for seven generations! We rely on both proven
quality and innovative ideas to meet a wide variety of
requirements with reliable, sustainable solutions, today
and in the future.

As a family business, personal relationships and profes-
sionalism are key: For this reason, Lemp not only offers
professional products, but also personal service, a high
problem-solving competence and an excellent technical
understanding of implementation – always on top. You
can count on it!

Always on top. Since 1856.



Ulrich Lutter

Ulrich Lutter
Managing Director

Leonie Lemp

Leonie Lemp
Shareholder in
7th generation

Dr. Oliver Roth

Dr. Oliver Roth
Managing Director

Mario Lemp

Mario Lemp
Shareholder in
6th generation

QUALITY: THAT'S OUR TOP PRIORITY!

Our standard: More than just standard!

Since 1856, we have put our heart, body and soul into the development and production of reliable and sustainable solutions for the skilled trades.

Quality Made in Germany: We know exactly what matters. That's why our products continue to set new standards in quality and innovation.

'Always on top' is more than just an advertising slogan for us: The motto is both our claim and our promise to

support you in the proper execution of your work with professional products. Whether standardized quality or specialist solutions - we are there for you!

Using high-quality materials, we ensure that our products meet the requirements of the skilled trades.



nfk: OUR QUALITY SEAL



Quality made to measure

Reliable quality is not always apparent at first glance, and the use of inferior products may pose certain risks. It's not just customers who have this problem. In their day-to-day work, processing companies also need to be able to tell at a glance which products meet the necessary standards in regard to safety and performance so that they can deliver the best possible results to their customers.

That is why we created the nfk seal. With this quality standard, we guarantee that all specifications and requirements of the German Roofing Trade (ZVDH) and the Plumbing Trade Rules (ZVSHK) are met. With this visible labeling of products that conform to standards and professional regulations, we support you in the proper execution of your trade. You are therefore always on the safe side.

nfk gutter bracket

The Lemp nfk gutter bracket with its enlarged, hole-free area meets all specifications of current standards and trade regulations while the nfk length remains unchanged. The innovative hole arrangement permits professional fastening, even in difficult situations! The material guarantee provided to ZVDH offers maximum, reliable safety!

nfk gutter brackets are available in all common materials, shapes and sizes, as well as in jacketed versions (steel brackets jacketed with copper), and are therefore suitable for versatile use.

In addition to our nfk gutter brackets, we also offer a wide range of specialist solutions, including: fascia board gutter brackets, on-roof gutter brackets, bead brackets, gutter brackets for trapezoidal sheet metal and corrugated sheets, gutter brackets with longer fastening legs and twisted gutter brackets for lateral fastening to rafters.



Innovative hole pattern for fastening compliant with technical regulations

High-quality corrosion protection

Enlarged hole-free area



Professional fastening using countersunk fixing holes

DIN EN 1462 quality standard

Continuously galvanized and angled front spring

nfk: OUR QUALITY SEAL

nfk pipe clamps

Our nfk pipe clamps comply with the specifications of the professional rules of the German Roofing Trade (ZVDH) and the Plumbing Trade Rules (ZVSHK). Whether round or box shape: Our pipe clamps are available in all common materials, shapes and sizes.

Additional fastening accessories are also available for pipe clamps: fixing brackets and facade adapters, hanger bolts and threaded rods, as well as thermal anchors.



M6 threaded nut with at least 4 load-bearing threads

Stainless steel eyebolt

M10 threaded nut

Custom fit shape




High-quality corrosion protection and circumferential galvanizing with rounded edges

5-fold guided hinge pin for additional stabilization

Hinge pin closed on both sides, made of aluminum alloy

EVERYTHING UNDER ONE ROOF

For tradespeople who want to aim high with their craft: You can count on our skylights for lighting, ventilation and exit! We offer you the right solution for every roof – from proven metal skylights to fully thermally insulated exits for energy-efficient buildings.



Metal roof windows in various designs

Our metal roof windows are seamlessly deep-drawn from quality steel sheets and hot-dip galvanized according to DIN EN ISO 1461. They are suitable for any type of tile due to the tile-specific or universally (all-roof) shaped skylight base. On request, our windows are also

available with color coating in individual RAL colors or in a full copper version. We also offer thermal skylights with PUR frames and double glazing, as well as a range of practical accessories. Feel free to contact us!



The living space specialist: wingopan 'wra'

The 'wra 0.8' and 'wra 1.4' living space exits are designed for use in new buildings or energy-efficient renovations and meet even the strictest insulation and energy-efficiency requirements.



The cold room specialist: wingopan 'da-tec'

The thermally insulated skylight 'da-tec' is optimum for lighting, ventilation and exit in cold rooms and even lower-level spaces. Due to the integrated diffusion-open connection apron, the connection to the roof cladding can be established quickly and easily.

STRONG IN ACTION

Rainwater collector

Lemp rainwater collectors allow the use of rainwater. They are convincing due to their simple application. By conserving natural resources, they therefore do their part to protect the environment.

Optimum flow into the rain barrel: They collect rainwater without reducing the cross-section of the pipe and ensure an automatic return to the downpipe when the rain barrel is full, which can be flexibly positioned by means of a hose connection. Equipped for everything: We allow easy connection to Gardena products or other appropriately sized systems.

Our rainwater collectors are available in all common sizes and materials (zinc, preweathered zinc and copper). Other finishes available upon request.



AVAILABLE IN
THREE MODEL VARIANTS:

BASIC
With loose brass cap



STANDARD
With a loose brass cap and approx. 30 cm long 1 1/4-inch hose with rubber grommet (for direct connection to a rain barrel)



PROFI
With a brass cap attached to the collector and approx. 80 cm long 1-inch hose with high-quality brass fittings and seals (for direct connection to the rain barrel)



AVAILABLE IN
FOUR MODEL VARIANTS:

RATIO
Functional variant with installation and removal option in the downpipe at a conveniently accessible location



STANDARD
Use, installation and removal on the standpipe



DESIGN
Combination of harmonious design and optimum usability with installation and removal option in the downpipe at a conveniently accessible location



XXL
With a total volume of approx. 8.5 liters (leaf collection volume of approx. 6.5 liters) and installation option in the downpipe at a conveniently accessible location



Leaf collector

A clogged gutter screen causes water to back up in the gutter and is difficult to access by ladder. The drainage performance may be reduced to 50 % or less. Our leaf collectors can be installed and cleaned in an easily accessible location. A ladder is no longer necessary.

Our leaf collectors are also available in all common sizes and materials (zinc, preweathered zinc and copper). Other finishes available upon request.



MULTI-SAT AND ACCESSORIES



Roof batten extensions

Roof batten extensions are used to subsequently move the verge further outwards on sloping roof surfaces without having to expose an entire rafter field. They are a practical aid for roofing, renovations and facade design if the facade is insulated later during an energy-efficient refurbishment. With roof batten extensions, the roof overhang can be easily adjusted without major additional work. Lemp will provide you with only quality products made of galvanized steel. The technology used has been structurally tested.

Individual support desired? We offer a free calculation and structural analysis service (taking into account regional differences).



Multi-SAT



Full on reception: Our satellite dish mounts are designed to securely mount antennas or satellite dishes on the roof. Due to the innovative and problem-solving fastening options, assembly need only be carried out by one person. Our SAT dish mounts can be fixed in an infinitely variable manner on all roof pitches. Due to the simple installation, no roof penetration is necessary.

Our Multi-SAT solutions are tested by the German technical inspection authority (TÜV) and, thanks to high material quality, they are particularly stable in all positions. Due to high-quality hot-dip galvanizing, they are very resistant to corrosion.

On the mark: SAT dish mount 'AufDach'

Among other things, we alternatively offer you a quick-to-install solution without drilling, anchoring or foundation construction with our 'AufDach' ('Rooftop') satellite dish mount. It is suitable for surfaces such as terraces, gardens or flat roofs.


Thermal anchor

Our thermal anchor sets enable fastening of pipe clamps with M10 threads in insulation boards without the formation of thermal bridges. Due to the cutter tip, they allow for easy assembly. Predrilling in ETICS plaster is not necessary.

The Lemp Classic thermal anchor set is designed for insulation thicknesses from 10 cm (PU/PS).

Our new Lemp Multi thermal anchor set can also be used for insulation thicknesses as small as 6 cm.

With our self-developed combination bit, both the thermal anchor and the hanger bolt can be screwed in without having to change the bit in the cordless screwdriver!



Lemp Classic thermal anchor

Lemp Multi thermal anchor



Roof bushings for mobile communications

Our cable roof bushings are mainly used in mobile communications technology, especially in the area of transmission and reception masts on roofs. During the installation of such transmission and reception systems, cables must be routed to the interior. Our cable roof bushings come into play here. They combine the module technology of ROXTEC with our base plate and roof bushing technology.

All roof bushings are already equipped with an original ROXTEC welding frame. The ROXTEC modules themselves are not included in the scope of supply and must be ordered directly from ROXTEC.



ALWAYS THERE FOR YOU!

Do you have questions, requests or suggestions? Let's talk about it! Our friendly team has a sympathetic ear for all your concerns and will competently assist you with advice, pipe clamps and similar products for your projects. Just call us!

**HELLO!
I AM ROOFUS.
ANY QUESTIONS?**



Lemp GmbH & Co. KG
Walpurgisstraße 40
47441 Moers
Germany

Phone: +49 2841 142-0
E-Mail: info@lemp.de

www.lemp.de